



## SAFETY DATA SHEET

### 1. Identification

**Product Identifier** Orange Fusion

**Other means of identification**  
**Product code** PCS-1791

**Recommended use** Concentrated water-soluble deodorizer.

**Recommended restrictions** None.

**Manufacturer/distributor/supplier/importer information**

**Company name** Professional Cleaning Supply

**Address**

**Tulsa** 7925 E. 40<sup>th</sup> St. Suite A  
Tulsa, OK 74145

**Oklahoma City** 4301 SW 21<sup>st</sup> St.  
Oklahoma City, OK 73108

**Telephone**

**Tulsa** (918) 250-9000  
**Oklahoma City** (405) 681-1822

**Emergency phone number** PERS (800) 633-8253  
24 hour Emergency (800) 633-8253

### 2. Hazard(s) Identification

**Physical hazards** Not classified.

**Health hazards** Skin Irritant Category 3  
Eye Irritant Category 2B

**Environmental hazards** Not classified.

**OSHA defined hazards** Not listed.

**Label elements** None.

**Signal word** Warning.

**Hazard statement** Causes mild skin irritation.  
Causes eye irritation.

**Precautionary statement**

**Prevention** Wash hands and exposed skin thoroughly after handling.

**Response** If skin irritation occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Storage**

**Disposal**

**Hazard(s) not otherwise classified (HNOC)** None.

**Supplemental information** None.

### 3. Composition/information on ingredients

Mixture Component(s)			
Chemical name	CAS number	Purpose	%
Water	7732-18-5	Solvent	80-90%
Alcohol C8-12, ethoxylated	68603-25-8	Surfactant	5-10%

Dipropylene glycol	25265-71-8	Solvent	1-5%
Fragrance	PROPRIETARY	Fragrance Component	1-5%
Isopropanol	67-63-0	Solvent	1-5%
Stabilizer	PROPRIETARY	Stabilizer	1-5%
Fatty Acid Amine Complex	PROPRIETARY	Odor Neutralizing Agent	0-1%
Diammonium EDTA	20824-56-0	Chelating Agent	<0.1%
Disodium cocamphodipropionate	68604-71-7	Surfactant	<0.1%
Triethanolamine	102-71-6	pH Adjuster	<0.01%
cis-N-(3-Chloroallyl)-Hexaminium Chloride	51229-78-8	Preservative	<0.001%

#### 4. First-aid measures

<b>Inhalation</b>	Move to fresh air. Call a physician if symptoms develop or persist.
<b>Skin contact</b>	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
<b>Eye contact</b>	Rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention. Eye wash stations should be located in work area.
<b>Ingestion</b>	Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting.
<b>Most important symptoms/effects, acute and delayed</b>	Dermatitis. Rash. May cause an allergic skin reaction.
<b>Indication of immediate medical attention and special treatment needed</b>	Provide general support measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
<b>General information</b>	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

#### 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).
<b>Unsuitable extinguishing media</b>	None known.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.
<b>Fire-fighting equipment/instructions</b>	Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Wear appropriate protective equipment and clothing during clean-up. Wear eye/face protection.
<b>Methods and materials for containment and cleaning up</b>	Caution – spillages may be slippery.  Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas.



Small spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** Do not release into the environment (see section 12). Avoid discharge into areas not consistent with package labeling.

## 7. Handling and storage

**Precautions for safe handling** Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

**Conditions for safe storage, including any incompatibilities** Store in original tightly closed container. Do not store in extreme conditions.

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
2-propanol	STEL	500 ppm
	TWA	400 ppm

#### US ACGIH Threshold Limit Values

Components	Type	Value
2-propanol	STEL	400 ppm
	TWA	200 ppm

### Biological limit values

#### ACGIH Biological Exposure Indices

Components	Value	Determinant	Species	Sampling Time
2-propanol	40 mg/L	Acetone	Urine	End of shift at end of workweek.

**Appropriate engineering controls** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

#### Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

**Other** None.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations** When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.



## 9. Physical and chemical properties

### Appearance

Physical State	Liquid.
Color	Colorless.
Odor	Orange.
Odor threshold	Not available.
pH	6-8
Melting/freezing point	32°F (0°C)
Initial boiling point and boiling range	>212°F (100°C)
Flash point	>212°F (100°C)
Evaporation rate	Not available.
Flammability	Not available.
Flammability Limits	
Upper	Not available.
Lower	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity (water=1)	0.99
Solubility in water	Soluble.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

## 10. Stability and reactivity

Reactivity	This product is stable and non-reactive under normal conditions of use.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames can cause product to decompose.
Incompatible materials	Strong acids, strong bases, strong oxidizing agents.
Hazardous decomposition products	Aldehydes, ketones, organic acids.

## 11. Toxicological information

### Information on likely routes of exposure

Ingestion	Expected to be a low ingestion hazard.
Inhalation	Expected to be a low inhalation hazard.
Skin contact	Repeated and/or prolonged skin contact may cause slight irritation.
Eye contact	Causes eye irritation. Prolonged eye contact may cause severe irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Dermatitis. Rash. May cause an allergic skin reaction.
Acute toxicity	Not established.

Product Gorilla Orange Fusion (CAS mixture)		
Exposure Classification	Route and Species	LD <sub>50</sub> /LC <sub>50</sub>
Acute	Oral, rat	13,700 mg/kg (Estimated)
Acute	Dermal, rabbit	>21,000 mg/kg (Estimated-literature)
Acute	Inhalation, rat	>15,000 mg/m <sup>3</sup> (Estimated-literature)
*Estimates for product may be based on additional component data not shown		

<b>Skin corrosion/irritation</b>	Causes mild skin irritation.
<b>Serious eye damage/irritation</b>	Causes eye irritation.
<b>Respiratory sensitization</b>	Not classified.
<b>Skin sensitization</b>	Not classified.
<b>Germ cell mutagenicity</b>	Not classified.
<b>Carcinogenicity</b>	Not considered a carcinogen.
<b>OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)</b>	
	Not Listed.
<b>Reproductive toxicity</b>	Not classified.
<b>Specific target organ toxicity – single exposure</b>	Not classified.
<b>Specific target organ toxicity – repeated exposure</b>	Not classified.
<b>Aspiration hazard</b>	Not considered an aspiration hazard.

## 12. Ecological information

Ecotoxicity		
Product Orange Fusion (CAS mixture)		
Aquatic Receptor	Species	Test Thresholds
Crustacea	Daphnia magna (water flea)	EC <sub>50</sub> (48-hr): <11.6 mg/L (estimated)
Fish	Fathead minnow ( <i>Pimephales promelas</i> )	LC <sub>50</sub> (96-hr): <29 mg/L (estimated)
Algae	alga <i>Scenedesmus</i> sp.,	ErC <sub>50</sub> (72-hr) >1,200 mg/l (Literature)
*Estimates for product may be based on additional component data not shown		

<b>Persistence and degradability</b>	Alcohol ethoxylates are considered readily biodegradable.
<b>Bioaccumulative potential</b>	No data available.
<b>Mobility in soil</b>	Not available.
<b>Other adverse effects</b>	Not available.

## 13. Disposal considerations

<b>Disposal instructions</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. Do not release to the environment.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations.
<b>Waste from residues/unused product</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (see: Disposal instructions).
<b>Contaminated packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.

## 14. Transport information

### DOT

Not regulated as dangerous goods.

## 15. Regulatory information

### US federal regulations

#### SARA 302 Extremely hazardous substance

Not listed.

#### SARA 304 Emergency release notification

Not listed.

#### SARA 311/312 Hazard Categories

Immediate Hazard - Yes

Delayed Hazard – No

Fire Hazard – No

Pressure Hazard – No

Reactivity Hazard – No

#### SARA 313 (TRI reporting)

Not listed.

### California Proposition 65



### WARNING

This product can expose you to chemicals including Diethanolamine which is known to the State of California to cause cancer, and Diethanolamine which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## 16. Other information, including date of preparation or last revision

Issue date	7/27/2020
Revision date	12/4/2020
Version #	2
HMIS® ratings	Health: 1 Flammability: 1 Physical hazard: 0

HEALTH	<b>1</b>
FLAMMABILITY	<b>1</b>
REACTIVITY	<b>0</b>
PERSONAL PROTECTION	<input type="checkbox"/>

NFPA ratings	Health: 1 Flammability: 1 Instability: 0
--------------	--



**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

**Revision information**

Updated composition and HMIS/NFPA ratings in accordance with industry standards.